

ALKA-SELTZER GOLD- alka-seltzer gold tablet, effervescent
Bayer HealthCare LLC.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Alka-Seltzer Gold

Drug Facts

Drug Facts

Active Ingredients

Anhydrous citric acid 1000 mg.....Antacid

Potassium bicarbonate 344 mg.....Antacid

Sodium bicarbonate (heat-treated) 1050 mg.....Antacid

Purpose

Antacid

Uses for the relief of

- heartburn • acid indigestion • sour stomach

Do Not Use

Do not use if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- kidney disease
- a potassium or sodium-restricted diet

Ask a doctor or pharmacist before use if you are

Ask a doctor or pharmacist before use if you are presently taking a prescription drug. Antacids may interact with certain prescription drugs.

When using this product

When using this product do not exceed recommended dosage

Stop use and ask a doctor if

Stop use and ask a doctor if you have taken the maximum dose for 2 weeks

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children

Keep out of reach of children.

Directions

- fully dissolve tablets in 4 ounces of water before taking

adults and children 12 years and over	2 tablets every 4 hours as needed, or as directed by a doctor	do not exceed 8 tablets in 24 hours
adults 60 years and over	2 tablets every 4 hours as needed, or as directed by a doctor	do not exceed 6 tablets in 24 hours
children under 12 years	1 tablet every 4 hours as needed, or as directed by a doctor	do not exceed 4 tablets in 24 hours

Other information

- **each tablet contains:** potassium 135 mg
- **each tablet contains:** sodium 309 mg
- store at room temperature. Avoid excessive heat.
- this product does not contain aspirin
- Alka-Seltzer Gold in water contains principally the antacids sodium citrate and potassium citrate

Inactive ingredients

Inactive ingredients magnesium stearate, mannitol

Questions or comments

Questions or comments? 1-800-986-0369 (Mon – Fri 9AM – 5PM EST)

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Aspirin may cause a severe allergic reaction which may include:

· hives · facial swelling · asthma (wheezing) · shock

Stomach bleeding warning: This product contains an NSAID, which may cause severe stomach bleeding. The chance is

higher if you

- are age 60 or older
- have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others)
- have 3 or more alcoholic drinks every day while using this product
- take more or for a longer time than directed



PS

SUPPLIER CODE / GLUE AREA

MADE IN GERMANY



Dist. by:
Bayer HealthCare LLC
Whippany, NJ 07981
Bayer, the Bayer Cross and
Alka-Seltzer are registered
trademarks of Bayer.

LOT & EXP
(Bright Background for Black Printing)

ASPIRIN-FREE
acid indigestion,
heartburn, upset stomach and
when you need relief from
morning, noon, or night –
Take Alka-Seltzer® any time –
The medicines of Alka-Seltzer®
are in the water.
Place two (2) tablets
in 4 oz of water.
Dissolve tablets completely.
You do not have to drink any
of the residue that may be
on the bottom of the glass.



Less Sodium than Alka-Seltzer® Original

GOLD

Alka-Seltzer®

Questions or comments? 1-800-996-0369 (Mon - Fri 9AM - 5PM EST)

Inactive ingredients magnesium stearate, mannitol

Other information
● Alka-Seltzer Gold in water contains principally the antacids sodium citrate and potassium citrate
● This product does not contain aspirin
● Store at room temperature. Avoid excessive heat.
● Each tablet contains: sodium 309 mg
● Each tablet contains: potassium 135 mg

Directions	
● Fully dissolve tablets in 4 ounces of water before taking	
adults and children 12 years and over	2 tablets every 4 hours as needed, do not exceed 8 tablets in 24 hours
adults 60 years and over	2 tablets every 4 hours as needed, do not exceed 6 tablets in 24 hours
children under 12 years	1 tablet every 4 hours as needed, do not exceed 4 tablets in 24 hours or as directed by a doctor

Warnings (continued)
Do not use if you have ever had an allergic reaction to this product or any of its ingredients
Ask a doctor before use if you have
● a potassium or sodium-restricted diet
● kidney disease
Ask a doctor or pharmacist before use if you are presently taking a prescription drug.
Antacids may interact with certain prescription drugs.
When using this product do not exceed recommended dosage
Stop use and ask a doctor if you have taken the maximum dose for 2 weeks
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children.

Bayer

Drug Facts
Active ingredients
(in each tablet)
Anhydrous citric acid 1000 mg, Antacid
Sodium bicarbonate 344 mg, Antacid
Antacid
(heat-treated) 1050 mg
● heartburn
● sour stomach
● acid indigestion

Uses for the relief of

Less Sodium than Alka-Seltzer® Original

GOLD

Alka-Seltzer®

Pharma Code



84200948

GOLD

36 EFFERVESCENT TABLETS
Do not use if pouch is torn or open

Alka-Seltzer®

Alka-Seltzer®



ALKA-SELTZER GOLD

alka-seltzer gold tablet, effervescent

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0280-4100
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP) (ANHYDROUS CITRIC ACID - UNII:XF417D3PSL)	ANHYDROUS CITRIC ACID	1000 mg
POTASSIUM BICARBONATE (UNII: HM5Z15LEBN) (POTASSIUM CATION - UNII:295O53K152)	POTASSIUM CATION	344 mg
SODIUM BICARBONATE (UNII: 8MDF5V39QO) (SODIUM CATION - UNII:LYR4M0NH37)	SODIUM BICARBONATE	1050 mg

Inactive Ingredients

Ingredient Name	Strength
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MANNITOL (UNII: 3OWL53L36A)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	25mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0280-4100-63	18 in 1 CARTON	11/19/2014	

1		2 in 1 POUCH; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC monograph final	part331		11/19/2014	

Labeler - Bayer HealthCare LLC. (112117283)

Revised: 5/2017

Bayer HealthCare LLC.